

TENSION TIE INCLUDING WASHER



Art. No.	Dimensions [mm]							DOWEL Ø	n ¹	Washer	0769	EAN	Weight	Pallet	PU
	H	x	L	x	W	x	D								
110310	142	x	93	x	60	x	2.0	M12	17	90 x 50 x 12	ETA-10/0010	4019346	0.658	1000	20
110305	280	x	122	x	40	x	2.0	M12	11	90 x 50 x 12	ETA-10/0010	007020	0.689	400	10
110405	340	x	182	x	40	x	2.0	M12	23	160 x 50 x 15	ETA-10/0010	017791	1.275	400	10
110410	400	x	123	x	40	x	3.0	M16	23	110 x 60 x 15	ETA-10/0010	017807	1.228	400	10
110415	420	x	222	x	60	x	2.0	M16	38	200 x 60 x 20	ETA-10/0010	017814	2.490	160	10
110420	420	x	102	x	60	x	2.0	M20	38	85 x 60 x 20	ETA-10/0010	017821	1.240	320	10
110425	480	x	123	x	60	x	2.5	M20	38	115 x 70 x 20	ETA-10/0010	017838	1.870	320	10
110430	520	x	222	x	60	x	2.5	M16	18	220 x 60 x 25	ETA-10/0010	017494	3.500	-	4

n¹ = number of holes, timber

Basepoint anchorings in timber frame construction are quickly and easily solved with this system.

Due to the large baseplates, the loads are transferred into the concrete and this can be verified through structural calculations.

Holes Ø 5.0 mm.

For fixing with GH connector nails (page 89), GH screws (page 90).

Made of hot-dip galvanised steel sheet t = 2.0, 2.5 and 3 mm.

