

FLAT CONNECTOR PLATE, LIGHT DUTY




Art. No.	Dimensions [mm]					n ¹ Ø 5	n ² Ø 11	0769	EAN 4019346	Weight kg	Pallet	PU
	L	x	W	x	D							
104	95	x	40	x	2.5	8	2	EN14545	130025	0.065	12150	150
184	175	x	40	x	3.0	16	4	EN14545	130049	0.144	4000	100
145	135	x	55	x	2.0	16	2	EN14545	130032	0.102	4200	100

n¹ = Number of holes, timber | n² = Number of holes, concrete

GH flat connectors are simple connectors for fixing narrow timber elements. They are an alternative to the GH nailing strap ties and can also be fixed, for example on concrete, using expanding anchors, chemical anchor studs, etc.

For fixing with GH connector nails (page 89), GH screws (page 90).
Made of hot-dip galvanised steel sheet t = 2.0 mm, 2.5 mm and 3.0 mm.



FLAT CONNECTOR PLATE, HEAVY DUTY



Art. No.	Dimensions [mm]					n ¹ Ø 5	n ¹ Ø 7	n ² Ø 11	n ² Ø 13	0769	EAN 4019346	Weight kg	Pallet	PU
	L	x	W	x	D									
1865	170	x	65	x	2.5	20	8	2	-	EN14545	130100	0.190	3500	50
2190	190	x	90	x	3.0	28	-	6	2	EN14545	130117	0.352	2400	50

n¹ = Number of holes, timber | n² = Number of holes, concrete

GH flat connectors, heavy duty are for fixing large areas and for transferring large loads.

They can also be fixed on concrete using expanding anchors, chemical anchor studs, etc.

For fixing with GH connector nails (page 89), GH screws (page 90).
Made of hot-dip galvanised steel sheet t = 2.5 or 3 mm.

